


Ventilation ducts made of 43mm thick EPP

EPP-43-SRGL



Dimensions



Description

Round ventilation duct made of expanded polypropylene (EPP). The most important features of the product are: rigid construction, low weight, easy assembly and good thermal insulation. EPP ducts, used, for example, as sections of the supply and exhaust ventilation systems with heat recovery, do not require additional insulation. The system eliminates the formation of thermal bridges.

Ducts and fittings do not require additional couplings.

Length EPP ducts: 1 m sections
 Diameters: 125, 160 and 200 mm.
 Wall thickness: 43 mm


Thermal conductivity: 0.039 W / m*K
 Airtightness class: ATC2 (old D) @110Pa
 acc. to PN-EN 17192:2019-01

Available materials:

EPP-43-SRGL-...- EPP (expanded polypropylene)

Product code example:

Product code: **EPP-43-SRGL - 160 - 0100**




| Code | Ød [mm] | ØD [mm] | L ₁ [mm] | L ₂ [mm] | L ₃ [mm] |
|----------------------|------------|------------|------------------------|------------------------|------------------------|
| EPP-43-SRGL-125-0100 | 125 | 211 | 940 | 60 | 1000 |
| EPP-43-SRGL-160-0100 | 160 | 246 | 940 | 60 | 1000 |
| EPP-43-SRGL-200-0100 | 200 | 286 | 940 | 60 | 1000 |

Ventilation ducts made of 43mm thick EPP

EPP-43-SRGL

Technical data

Pressure loss drops of EPP-43 pipes of different diameters



Assembly method

